	Application No.	Applicant(s)
Notice of Allowability	09/909,382	PALUMBO ET AL.
Nouce of Allowability	Examiner	Art Unit
	Randy W. Gibson	2841
The MAILING DATE of this communication appears on the cover sheet with the correspondence address—All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-18</u> .		
3. The drawings filed on 20 July 2001 are accepted by the Examiner.		
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> </ul>		
<ol> <li>☐ Certified copies of the priority documents have been received.</li> </ol>		
2.  Certified copies of the priority documents have been received in Application No		
<ol> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol>		
* Certified copies not received:		
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).		
(a) The translation of the foreign language provisional application has been received.		
6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
8. CORRECTED DRAWINGS must be submitted.  (a) including changes required by the Notice of Draftspers  1) hereto or 2) to Paper No	son's Patent Drawing Review ( PTO-	948) attached
(b) ☐ including changes required by the proposed drawing correction filed, which has been approved by the Examiner.		
(c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.		
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1⊠ Notice of References Cited (PTO-892) 3□ Notice of Draftperson's Patent Drawing Review (PTO-948) 5□ Information Disclosure Statements (PTO-1449), Paper No 7□ Examiner's Comment Regarding Requirement for Deposit of Biological Material	4☐ Interview Summa 6⊠ Examiner's Amer	nl Patent Application (PTO-152) ary (PTO-413), Paper No adment/Comment ment of Reasons for Allowance
		Randy W. Gibson Primary Examiner Art Unit: 2841

Application/Control Number: 09/909,382

Art Unit: 2841

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Abstract:

Deleted the last sentence.

After the last line, insert, -- A preferred embodiment has a mounting adaptor for the laser that either has tapered steps or is shaped like a tapered cone so that a single adaptor can be friction fitted into pipes of different diameters. --

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance: none of the art of record suggests a tapered mounting adaptor for the pipe alignment laser that allows pipes of different diameters to be accommodated by the same mounting adaptor.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 2841

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Randy W. Gibson whose telephone number is (703) 308-1765. The examiner can normally be reached on Mon-Fri., 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David S Martin can be reached on (703) 308-3121. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7722 for regular communications and (703) 308-7722 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-5115.

September 13, 2006

Randy W. Gibson Primary Examiner Art Unit 2841